# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s)

Alfred GOERLACH et al.

Serial No.

10/030,309

Filed

May 13, 2002

For

DIODE HAVING A METAL SEMICONDUCTOR

CONTACT, AND METHOD FOR THE MANUFACTURE

**THEREOF** 

Examiner

Dana Farahani

Art Unit

2814

Confirmation No.

8784

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Mail Stop Non-Fee Amendment. Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia

22313-1450 on:

Mail Stop Non-Fee Amendment Commissioner for Patents

P.O. Box 1450

Alexandria, Virginia 22313-1450

Date: 7 29 03 Reg. No. 82.490
Signature: - When Dunn

### **AMENDMENT**

SIR:

In response to the Office Action of June 13, 2003, kindly amend the above-captioned application as follows:

## IN THE CLAIMS:

Please cancel, without prejudice, claims 17 and 22 to 32.

Please amend claims 18 o 21, without prejudice, as follows:

18. (Amended) A diode, comprising:

a semiconductor substrate arranged between a first metallic electrode and a second metallic electrode, the substrate highly doped in a first zone to form an ohmic transition to the first electrode and weakly doped in a second zone to form a rectifying transition to the second electrode;

wherein the first zone and the second zone are separated by a third zone of the semiconductor substrate doped more weakly than the second zone, the first zone, the second zone and the third zone having a same conductivity type, the second zone enclosed between the second electrode and the third zone; and

9999981 1.9699 V

422003 АКНРП - 20000 Т:1201 - 84.00

NY01 609939 v 1

wherein a breakdown voltage between the second electrode and the third zone is at least three times as great as a breakdown voltage between the second electrode and the second zone.

### 19. (Amended) A diode, comprising:

a semiconductor substrate arranged between a first metallic electrode and a second metallic electrode, the substrate highly doped in a first zone to form an ohmic transition to the first electrode and weakly doped in a second zone to form a rectifying transition to the second electrode;

wherein the first zone and the second zone are separated by a third zone of the semiconductor substrate doped more weakly than the second zone, the first zone, the second zone and the third zone having a same conductivity type, the second zone enclosed between the second electrode and the third zone; and

wherein the second zone is raised over a surface of the third zone, and the second electrode covers the second zone in a hat shape that includes a circumferential rim that touches the third zone.

### 20. (Amended) A diode, comprising:

a semiconductor substrate arranged between a first metallic electrode and a second metallic electrode, the substrate highly doped in a first zone to form an ohmic transition to the first electrode and weakly doped in a second zone to form a rectifying transition to the second electrode;

wherein the first zone and the second zone are separated by a third zone of the semiconductor substrate doped more weakly than the second zone, the first zone, the second zone and the third zone having a same conductivity type, the second zone enclosed between the second electrode and the third zone; and

wherein the second zone is planar and island-type on a surface of the third zone, and the second electrode is flat and touches the third zone in an edge region.

#### 21. (Amended) A diode, comprising:

a semiconductor substrate arranged between a first metallic electrode and a second metallic electrode, the substrate highly doped in a first zone to form an ohmic transition to the first electrode and weakly doped in a second zone to form a rectifying transition to the second electrode, the first zone and the second zone

NY01 609939 v 1 2